## Pakistan Reinsurance Company Limited Retrocession Department

Pak-Arab Refinery Limited (PARCO)
Political Violence Reinsurance
Renewal for the period from 01-08-2020 to 30-06-2021(11 months)
Method of Tender: Single Stage-Two Envelopes Basis

## Particulars of Technical Quotation submitted by the Broker

Tender Requirement		M/s. FIB/LOCKTON		
Name of Lead Reinsurer(s):		Lloyds Syndicate The Hartford 1221	Primary Layer of US\$.50,000,000.00	
		Lloyds Syndicate Talbot	1st Excess Layer of	
			1183	US\$.100,000,000.00
		Lloyds Syndicate Talbot 1183	2nd Excess Layer of US\$.50,000,000.00	
Lead Reinsurer Rating: "A" as per S&P/ AM Best/			A + BY S & P	
Moodys/Fitch				
Support: 15% of 100% and not more than 25% of 100%			Primary Layer 20% Lead Share 1st Excess Layer 15% Lead Share 2nd Excess Layer 20% Lead Share	
Country of Origin:			Lloyds Syndicate London	
Remaining Reinsurance must be placed with "A" rated security as per S&P/ AM Best/ Moodys/Fitch.			Compliant	
Quotation should be <b>Firm quote</b> (not an indication or subject to 'Best terms')			Compliant	
Validity of Quote 45 days			Compliant	
Underwriting Agency (Not allowed)			Compliant	
Quote should be without any express or implied subjectivities/conditions and warranties			Compliant	
Quotation should be strictly as desired by the insured			Compliant	
Premium payment warranty should be 90 days from inception of the policy			Compliant	
Law and jurisdiction must be (Pakistan)			Compliant	
Copy of actual Quotation signed/Stamped by the leader must be attached			Compliant	
Proposed policy wording signed & stamped by the leader must be attached			Compliant	
Sum Insur	ed 100%			
Refinery Assests	US\$.	2,248,937,000.00		
Pipeline Assests	US\$.	854,313,000.00		
Stocks	US\$.	455,071,000.00		
Housing Complex	US\$.	53,715,000.00		
BI STATE OF THE PROPERTY OF TH	US\$.	166,943,000.00	Com	pliant
Indemnity Period	5541	24 Months	Compliant	
Limit of Liability (100%)	US\$.	200,000,000 .00		
Deductibles (100%)				
For Property Damage US\$ 1,000,000.00		1,000,000.00		
For Business Interruption	100	60 days		
Remarks:			All as per tender	
Conclusion:-			Technicall	y Qualified

Sal sofmal.

Wom Line

6