Pakistan Reinsurance Company Limited Retrocession Department

Haveli Power Planct (A/c. NPPMCL)

Operational Phase

Property Damage (PD) and Business Interruption (BI) Reinsurance Period from 08-05-2019 to 07-05-2020

Comparison of Technical Quotations of the following Brokers

{ 1 }	{2} M/s. Unique/JLT PingAn	(3) M/s. Excel/Willis Barents Re. S.A Luxembourg	4} M/s. RMS/FIB/AJG (Jointly) 1). Everest Re 2). Allianz Risk Transfer AG
Tender Requirements			
Name of Lead Reinsurer :			
Rating: "A" as per S&P/ AM Best/ Moodys/Fitch	A2 by Moody's	A by A.M Best	1) .A (Excellent) by A.M Best 2)AA- by S&P
Support: 15% to 100% not more than 25% of 100%	15%	15%	1). Primary Layer15% 2). Excess Layer 15%
Country of Origin:	China	-	Dubia Branch
Rating of Support Market "A" rated by S&P/A.M. Best/Moody's/Fitch (upto 20% "A-" rating is allowed)	Compliant	Compliant	Compliant
Quotation should be Firm quote (not an indication or subject to 'Best terms')	Compliant	Compliant	Compliant
underwriting agency (not allowed)	Compliant	Compliant	Compliant
Quote should be without any express or implied subjectivities/conditions and warranties	Compliant	Compliant	Compliant
Layering is allowed (without any Gap)	Compliant	Compliant	Compliant
Validity of Quote 45 days	Compliant	Compliant	Compliant
Law & Jurisdiction (Pakistan)	Compliant	Compliant	Compliant
Premium payment terms (As per attached document i.e. in 4 equal installments)	Compliant	Compliant	Compliant
Currency: (US Dollar)	Compliant	Compliant	Compliant
Copy of Actual Quotation Signed/Stamped by the Leader	Compliant	Compliant	Compliant
Proposed Policy Signed & stamped by the Leader	Compliant	Compliant	Compliant
			Cont'd Page-

reasis for four how ing

			:-2-:		
{1}			{2}	{3}	{4}
Sum Insured / Limit of Liability (100%)			A
Section-1 (PD)		746,770,000.00			
Section-2 (BI)	US\$	290,640,000.00	Compliant	Compliant	Compliant
		216,690,000.00			
Section-3 (NPD) 216,690,000.00 Indemnity Period: Section 2 (I) 18 months Section 2 (II) 6 months			Compliant	Compliant	Compliant
Deductible:					
Section-1:					111111111111111111111111111111111111111
Each and every occurrence in			1000 0000 100	100X 100 00	(C) 8/194 (V3.)n
respect of Machinery Breakdowon		1,500,000.00	Compliant	Compliant	Compliant
on the Gas Turbine Generator sets. Each and every occurrence in		750,000.00		Compliant	Compliant
respect of Machinery Breakdowon	US\$		Compliant		
on the Steam Turbine Generator					
sets. Heat Recovery Steam					
Generators and main Transformers					
Each and every occurrence all		VEREZ # 2004 (2000) (CO			CO AVITARO
other losses		250,000.00	Compliant	Compliant	Compliant
Section-2:(I)					
60 days each and every occurrence in respect Machinery			Compliant	Compliant	Compliant
Breakdowon of the Gas Turbine Generator sets.			<u> </u>	,	i i
30 days every occurrence or series of occurrences in respect of Machinery Breakdown on the steam Turbine Generators, Sets, Heat Recovery Steam Generators and Main Transformers.				,	
30 days every occurrence or series of occurrences in respect of all other losses.			Compliant	Compliant	Compliant
The "Period" shall commence on the day that the business is first interupted or interfered with and shall end the number of days specified as the deductible thereafter					
Section-2 (II) 15 dys Each and every occurrence or series of occurrences triggering NDP. In the event of a claim involing more than one deductible, it is agreed that only the highest single deductible will apply			Compliant	Compliant	Compliant
per section of this policy					
Remarks			All As per Tender	All As per Tender	All As per Tender
Conclusion			Qualified	Qualified	Qualified

reasis ofmed I have him ing